






公差表/General Tolerances(mm)													
0	>3	>6	>10	>18	>30	>50	>80	>120	>180	>250	>315	>400	0.1/10 Z
~	~	~	~	~	~	~	~	~	~	~	~	~	
±0.12	±0.18	±0.22	±0.26	±0.31	±0.37	±0.57	±0.80	±0.93	±1.05	±1.15	±1.60	±2.20	±2.50



文 管 中 心  
 研 发 专 用  
 2020.05.27  
 (仅限内部使用, 对外无效)

PCB LAYOUT  
3.81x(N/2-1)



3	Cover	PA66	UL94V-0
2	Pin	Copper Alloy	Sn Plated
1	Housing	PA66	UL94V-0
ITEM	NAME OF PART	MATERIAL	NOTES
UL 标准/UL Standard:	B	C	D
额定电压/电流 /Rated Voltage(V)/Current(A)	300/8	/	300/8
EC 标准 /IEC Standard:			
过压类别 /Overvoltage Category/污染等级 /Pollution Degree	II/2		
额定电压/电流 /Rated Voltage(V)/Current(A)	250/7		
额定脉冲电压 (KV)/Rate Impulse Voltage(KV)	2.5		
间距 /Pitch(mm)/线数范围 /Poles	3.81/N=04~48P		
使用温度范围 /Operating Temperature(°C)	-40~+105		
符合RoHS环保要求 /Conform to RoHS	Yes		

MATERIAL: /		SURFACE: /	
MAT NO.:	/		
STATUS:	/		
APPD:	LanChH 2020.05.27	NAME: 宁波高松电子有限公司 NINGBO DEGSON ELECTRICAL CO., LTD	
CHKD:	YuJZ 2020.05.27	DRAWING NO.: 15EDGVH-3.81-C01	
DRFT:	ZL 2015.11.18	TYPE:	CUSTOMER DRAWING
REV	ECN	DESCRIPTION	SCALE: 1:1
12		Drawing update	REV T2
11	18-0365	Modify structure	1/1
DRFT	DATE	DRFT	SHEET
ChenZh	2020.05.27	CMZ	2019.01.24